

INTRODUCTION OF ORDINANCE

An Ordinance of the City of Lansing, Michigan providing that the Code of Ordinances, City of Lansing, Michigan be amended by Adding a New Chapter to be numbered 22A and by adding Sections Numbered 22A.1 to 22A.7, inclusive, providing for the protection of the buildings and lands of the school district of the City of Lansing; to provide for the peace, quiet and good order in and around schools of the school district of the City of Lansing; to provide for the removal of those not having legitimate business in and around the schools of the school district of the City of Lansing; to prohibit the use of profane, indecent or immoral language in and around schools of the school district of the City of Lansing; and to provide penalties for the violation of this ordinance, was introduced by Councilman Smith read a first and second time by its title and referred to Committee on Ordinance and Contracts.

By Councilman Anas—

Resolved by the City Council of the City of Lansing:

That Councilman Moore be excused from the session.

Carried.

Council adjourned at 8:15 P.M.

THEO FULTON,
City Clerk.

February 13, 1968.

F/B

OFFICIAL PROCEEDINGS OF THE PLUMBING BOARD OF THE CITY OF LANSING

Proceedings, January 11, 1968

Meeting was called to order at 7:30 p.m. by Chairman, George Wyllie.

Members present: Larry Kain, George Wyllie, William Miles, Ralph Gunthrope, John Brady, G. J. Turney—6.

Inspectors: Leo Fox and Arnold Dell—2.

Members Absent: Councilman May—1.

Minutes of the last meeting was approved as read.

Discussion regarding relief valves rating, up to 90,000 B.T.U. is classed a heater. If unit has an output 200,000 or more is a boiler and state responsibility for inspection.

Ralph Gunthrope read the following letter regarding amendments to the State Plumbing Code. This is an interpretation pertaining to 338.908 Article VIII soil, waste and vent pipe.

Section 74, prohibited connections. Quoted in part—branch fixtures waste may

be connected to a four-inch trapped iron closet bend. At least one of the branch fixtures waste connected to the trapped closet, bend shall be vented as this is a four-inch closet bend, the vent shall be 2 in. minimum pipe size.

To clarify the note at the end of the table on page 62. This is interpreted to mean — two complete bath room groups, plus two sinks, back to back one crow foot fitting, are rated at 1½ vent units. Therefore, the requirements set forth in Section 89 pertaining to venting when there are over 1½ fixtures units on a 4 inch stack are to be enforced.

Letter from Mr. Bush to inform local Plumbing Board amendments of State Code is as follows:

Dear Sir:

Effective January 1, 1968 the practice of discharging laundry trays and washing machine over a floor drain shall be discontinued.

Each laundry tray will connect directly to the sanitary building drain, into a properly vented branch or main vented line. The same will hold true for washing machines; the trap may be below the floor or a tubular trap '17 gauge' may be installed above the floor. Caution should be taken so as not to exceed the permitted three foot vertical drop.

Motion by John Brady, seconded by Larry Kain that the next meeting be March 14, 1968.

Motion carried.

Meeting adjourned at 9:00 p.m.

Respectfully submitted,
G. J. TURNEY,
Secretary.

OFFICIAL PROCEEDINGS OF THE AIR POLLUTION CONTROL BOARD OF THE CITY OF LANSING

Proceedings, January 31, 1968

The regular meeting of the Air Pollution Board was held Wednesday evening, January 31, 1968, at 7:30 p.m., in Room G-30, City Hall.

Present: Board Members Bock, Dodson, Kloeckner, Ray, Ruth, Tableman and Zapata—7.

Absent: Board member Tamer—1.

Guests: Mr. Ellsworth and Mr. Kaiser, Centrifuse, Inc.; Norris Ingels, State Journal, and Mr. Swift.

The meeting was called to order by Chairman Tableman. The secretary announced the presence of a quorum. Mrs. Bock noted that her name had been omitted from the list of those present at the December meeting. It was moved by Mr. Dodson, seconded by Mr. Kloeckner, that the minutes of the Dec. meeting be approved with the addition of the correction noted.

Motion carried.

Mr. Ellsworth submitted a report indicating they have decided to install a wet scrubber at their cupola. They have selected a supplier and authorized the engineering work necessary for submission of a firm quotation on erection of the equipment. They indicated that they hope to have placed an order within 45 days. There was a discussion of the situation. The Board requested that Centrifuse report their decisions at the March 27 meeting.

Mr. Pesterfield reported a complaint regarding Melling Drop Forge. They have been in violation and he has them under surveillance. He has scheduled a meeting with plant management next week to discuss the situation. It was moved by Mr. Ruth, seconded by Mrs. Bock, that the

Board officially notify the company of receipt of this complaint and indicate that they have instructed the engineer to investigate and report to them at the next meeting.

Motion carried.

It has been determined that the Township Dump is at fault in the complaint issued against Paulson Street Dump. The matter has been referred to the Michigan Department of Health. It was moved by Mr. Kloeckner, seconded by Mr. Dodson, that the complaint be closed.

Motion carried.

Mr. Pesterfield reported receipt of a complaint regarding excessive fly ash from Oak Park School. He will investigate. It was moved by Mr. Dodson, seconded by Mr. Kloeckner, that the Board notify the Board of Education, with a copy to Councilman Perrin, that we have received the complaint and that our engineer is investigating.

Motion carried.

The next meeting will be held Wednesday evening, February 28, 1968, at 7:30 p.m., in Room G-30, City Hall.

It was moved by Mr. Dodson, seconded by Mr. Kloeckner, that the meeting be adjourned.

So ordered.

The meeting was adjourned at 8:40 p.m.

Respectfully submitted,
MARVIN TABLEMAN,
Chairman,
NORMA DONOVAN,
Secretary.

OFFICIAL PROCEEDINGS OF THE BOARD OF TRUSTEES OF THE CITY OF LANSING EMPLOYEES' RETIREMENT SYSTEM

Special Meeting, May 31, 1968

May 31, 1968

Lansing, Michigan

Retirement Board Room

8th Floor—City Hall

9:00 A.M.

The Board of Trustees met in special session and was called to order by Chairman Meryl R. Wilcox.

Present: Trustees Anas, Bodwin, Kline, Waidelich and Wilcox—5.

Absent: Trustees Graves, Murningham and Roe—3.

Present: Raymond W. Burgess, Secretary.

It was moved by Trustee Bodwin, supported by Trustee Kline that the applica-

tion for a Non-duty Disability Retirement for George Bell, Public Service Department, be approved and accepted. He having qualified with 21 years and 4 months of service credit. Retirement to be effective June 12, 1968.

Adopted by the following vote:

Yeas: Anas, Bodwin, Kline, Waidelich and Wilcox—5.

Nays: None.

The Board Adjourned,

RAYMOND W. BURGESS,
Secretary.
Employees Retirement System.

T/C

OFFICIAL PROCEEDINGS OF THE PLUMBING BOARD OF THE CITY OF LANSING

Proceedings, May 9, 1968

Meeting was called to order at 7:30 p.m. by Chairman George Denfield.

Members present: William Miles, Larry Kain, Ralph Gunthrope, George Denfield, John Brady, G. J. Turney—6.

Inspectors: Arnold Dell and Leo Fox—2.
Member absent: Councilman May—1.

Minutes of the last meeting were approved as read.

The wording of Mr. Travis Freeman's calling card was discussed by the Plumbing Board, Mr. Dell and Mr. Fox were to contact Mr. Freeman and have him remove the wording, "recommended by the plumbing department."

Discussion regarding Anderson Plumbing Supply Center ad in the paper listed 22 experienced plumbers. Motion by Mr. Brady, seconded by Ralph Gunthrope, that Mr.

Dell see the City Attorney for legal interpretation of a licensed plumber.

Motion carried.

Motion by Mr. Gunthrope, seconded by Mr. Bray, that the Plumbing Board send a letter recommending Mr. Sidney H. Holwerda of Grand Rapids as a Master Plumber to be reappointed to the State Plumbing Board.

Motion carried.

Mr. Tom Graham completed a written examination for a drain layers license. The board objected to grant a license to Mr. Tom Graham.

Next meeting will be held September 12, 1968.

Respectfully submitted,

G.J. TURNEY,
Secretary.

OFFICIAL PROCEEDINGS OF THE BOARD OF PUBLIC SERVICE OF THE CITY OF LANSING

Proceedings, June 5, 1968

Meeting called to order by Chairman Tietz at 7:30 p.m.

Present: Mrs. Borgman, Messrs. Faggion, Granger, Hack, Mosher, Russell, Tietz—7.

Absent: Mr. Saenz—1.

Minutes of the previous meeting were approved as printed.

GENERAL BUSINESS

Report from the Committee on Personnel recommending that Eugene N. Russell be appointed City Engineer replacing George F. Wyllie.

Motion by Mr. Hack supported by Mr. Granger that the report of the Committee be approved.

Carried.

Report from the Committee on Personnel recommending that Eugene N. Russell be promoted to Assistant City Engineer replacing Robert R. Corbit.

Motion by Mr. Hack, supported by Mrs. Borgman, that the report of the Committee be approved.

Carried.

Report from the Committee on Streets and Sidewalks submitting plans and recommendation on the proposed alignment of the Ottawa Street Bridge.

Motion by Mr. Mosher, supported by Mr. Granger, that the report of the Committee be approved and submitted to the City Council.

Carried.

Report from the Committee on Waste Disposal recommending that the contract with McNamee, Porter and Seeley, for storm sewer improvements in the Waverly Road and Miller Road area be approved and submitted to the City Council.

Motion by Mr. Granger, supported by Mr. Mosher, that the report of the Committee be approved.

Carried.

Report from the Committee on Waste Disposal that the proposed contract with Fishbeck and Thompson for engineering services required for the construction of storm sewers in the Miller-Edgewood area be approved and submitted to the City Council.

Motion by Mr. Granger, supported by Mr. Mosher, that the report of the Committee be approved.

Carried.

Eugene N. Russell, new Assistant City Engineer, presented a report to the Board on the functions and duties of the Design

Mrs. Sliker suggested that we prepare a map as to where our units are by ward. This might be useful in identifying future building sites.

NEW BUSINESS

RESOLUTION NO. 122

BE IT RESOLVED BY THE LANSING HOUSING COMMISSION AS FOLLOWS:

The attached lease between the City of Lansing, acting by and through the Lansing Housing Commission and Lancen Homes, Inc.—for the property located at 833 Dornell Street—three bedroom house for 2 years at \$135.00 per month, is hereby approved and accepted both as to form and substance and the President or Vice-President and Director of the Commission are hereby authorized and directed to execute said lease on behalf of the Lansing Housing Commission.

A motion was made by Commissioner Hagerty, supported by Commissioner Sliker, that the above resolution be adopted. Upon roll call, the Ayes and Nays were as follows:

Ayes: Commissioners Hagerty, Owen, Sliker—3.

Nays: None.

The President thereupon declared the motion carried and the resolution adopted.

Meeting adjourned.

Respectively submitted,

MARCEL B. ELLIOTT,
Secretary.

OFFICIAL PROCEEDINGS OF THE PLUMBING BOARD OF THE CITY OF LANSING

Proceedings, September 12, 1968

Meeting was called to order at 7:30 p.m. by Chairman, George Denfield.

Members present: William Miles, George Denfield, Ralph Gunthrope, Larry Kain, Robert Corbit, G. J. Turney—6.

Inspectors: Ronald Dell and Leo Fox—2.

Members absent: Councilman May—1.

Minutes of the last meeting were approved as read.

Chairman read a letter he received from Governor Romney, thanking the Board for the letter recommending Mr. Sidney H. Holwerda of Grand Rapids for reappointment to the State Plumbing Board.

Leo Fox stated that he had discussed the motion of May 9th with the City Attorney, regarding legal interpretation of a licensed plumber, he will forward a written opinion to the Board soon.

Chairman read copies of letters sent to

the Attorney General's office from the Michigan Association of Plumbing Contractors regarding misleading advertising.

Mr. Dell submitted copies of a chart received from the State Plumbing Office regarding the maximum fixtures units in a 4 in. and 8 in. stack without additional venting. Motion by William Miles seconded by Larry Kain that the plumbing department mail out copies of the charts to all registered plumbers in the City of Lansing.

Motion carried.

Next meeting to be October 10, 1968.

Meeting adjourned at 9:10 P.M.

Respectfully submitted,

G. J. TURNEY,
Secretary.